

Jump to page

[TOC](#) [1-25](#) [26-29](#) [30-50](#) [51-63](#) [64-82](#) [83-161](#) [162-77](#) [178-220](#) [221-49](#) [251-53](#) [254-67](#) [268-302](#) [303-13](#)
[314-36](#) [337-69](#) [371-87](#) [388-418](#) [421-53](#) [454-66](#) [468-531](#) [532-78](#) [579-652](#) [653-60](#) [662-95](#) [697-705](#)

Index

A

Access database
 port to MySQL, 258
ACID, 653
Administrative tools
 command-line utilities, 421
 innochecksum, 423
 msql2mysql, 429
 my_print_defaults, 448
 myisamchk, 423
 myisamlog, 426
 myisampack, 446
 mysql_config_editor, 426
 mysql_install_db, 445
 mysqlaccess, 429
 mysqladmin, 430
 mysqlbinlog, 432
 mysqlbug, 433
 mysqlcheck, 427
 mysqldump, 435
 mysqldumpslow, 438
 mysqlhotcopy, 438
 mysqlimport, 434
 mysqlmanager, 440
 mysqlshow, 444
 mysqlshutdown, 433
 mysqslap, 448
 mysqlwatch, 448
 option files, 422
 perror, 449
 replace, 445
 command-line tools, 421
 GUI tools
 MySQL Administrator, 48, 449
 MySQL Workbench, 449
 MySQL WorkBench, 48
 phpMyAdmin, 449
 command-line utilities, 421
AJAX, 296
Apache
 configuring PHP for Windows, 273
 installing
 under Linux, 269
 under Windows, 270
 preparing for PHP in Windows, 271
Apache and PHP

 configuring for Linux, 269
Application life cycle, 388
ARCHIVE storage engine, 162
ASP.NET, 357
Audit plugins, 220
Authentication, 32
 auth_socket, 32
 login_path, 33
 mysql_config_editor, 33
 of connection, 460
 of database requests, 462
AUTO_INCREMENT, 97

B

Backup, 416
 and restore, 417
 BACKUP TABLE, 113
 InnoDB databases and tables, 168
 mysqldump, 435, 438
BDB tables, 162
BLACKHOLE storage engine, 163

C

C API
 C compilers, 371
 data types, 372
 MYSQL, 372
 MYSQL_FIELD, 373
 MYSQL_RES, 373
 MYSQL_ROW, 374
 functions, 374
 sample program, 374
CALL, 210
CAP theorem, 22
CHANGE REPLICATION FILTER, 132
Character sets and collations, 37, 285, 666
Charts, 490
Codd, EF
 relational theory, 7
Coercibility, 37
Columns
 maximum no. of, 95
Configuration, 33
 dedicated servers, 390
 multiple servers
 Linux, 40
 Windows, 45

- MySQL
 - for Linux, 391
 - for Windows, 391
- MySQL server, 33, 392
 - InnoDB, 49
 - InnoDB, 167, 397
- MySQLInstanceConfig.exe, 42, 43
- reliability, 400
- security, 458
- sql_mode, 690
- symbolic links, 412
- system variables, 33, 662
- the disk and file system, 391

Configuration wizard, 42

Connections and Sessions, 90

Connector/C++, 387

Connector/J, 318

Connector/NET 1, 351

Connector/NET 5

- cached query, 614
- connection, 585
- DataAdapter,DataSet, 596
- database list, 595
- default row values, 630
- information_schema, 612
- just-in-time lookup, 622
- LIMIT query, 614
- login, 590
- paging, 600
- table list, 598
- updates, 604

Connector/ODBC, 50, 255

CPU cache memory, 391

CREATE TABLE

- generated columns, 96

CSV storage engine, 163

CTEs, 145

D

- Data Types, 51
 - Date and time, 59
 - JSON, 51, 56
 - Numeric, 56
 - OpenGIS, 60
 - String, 52
- Database
 - change tracking, 15
 - derived values, 14
 - normalisation, 15
 - nulls, 14
 - practical design rules, 13
 - relations, 7
 - relationships, 79
 - server, 15
 - what is it, 1

- Database Administration, 388
 - crash recovery
 - using slave logic, 418
 - disaster planning, 416
 - manual backups, 417
 - reliability, 400
 - speed and size, 398
 - symbolic links, 412
- DataGridView
 - caching for, 581
 - CellBeginEdit, 606
 - custom cell editor, 606
 - delete row, 633
 - event handlers, 618
 - find value in, 607
 - insert new row, 631
 - insert row copy, 632
- DateTime
 - formats, 60
- DBFs
 - importing from, 154
- Default values
 - and CREATE TABLE, 96
- Defragmentation, 174
- Distributed databases, 413
- dotNet, 337
 - architecture, 340, 351

E

- Error codes, 704
- Error management
 - error handlers, 211
 - GET DIAGNOSTICS, 128
 - RESIGNAL, 214
 - SIGNAL, 213
- Event Scheduler, 110
- Excel plugin, 251

F

- FALCON storage engine, 163
- FEDERATED storage engine, 164
- Floats and rounding, 237
- FOREIGN KEY, 98
 - same table, 477
- FULLTEXT, 98
 - FULLTEXT, 54, 185

G

- Generated columns, 96
- Getting started, 48
- Graphs
 - edge list, 472
 - tree, 474
 - models, 469

- nested sets model
 - non-tree, 507
 - tree, 492
- parts explosion, 518
- tree
 - automate drawing, 490

H

- HANDLER, 147
- Hungarian notation, 587

I

- Identifier names, 86
- IDEs
 - Eclipse, 319
 - NetBeans, 319
 - Visual Studio, 342
 - Visual Studio 2005, 579
- Index speed and size, 398
- Index/key
 - covering, 242
 - CREATE INDEX, 107
 - fulltext, 98
 - PRIMARY KEY, 97
 - UNIQUE, 98
- INFORMATION_SCHEMA, 126
 - structure, 697
- InnoDB
 - CLUSTER, 172
- InnoDB storage engine, 167
 - and memcached, 171
 - cautions, tips and restrictions, 173
 - Configuring, 167
 - Copy tablespaces, 172
 - Deviations from SQL standard, 173
 - file-per-table encryption, 172
 - multiversioning, 171
 - next-key locking, 170
 - optimiser data persistence, 171
 - Optimising, 245
 - plugin, 49, 169
 - row_format, 169
 - SQL statements and locks, 170
 - tablespace,logs,backups, 168
 - tracking tables, 699
 - transactions, 169
- InnoDB_buffer_pool_size, 245
- Installation
 - Configuring, 33
 - Linux
 - binary, 37
 - source, 40
 - Linux,second server, 40
 - MYSQL_HOME, 42
 - option files, 33

- setup and testing, 46
- Update privilege tables, 47
- Windows
 - binary, 42
 - source, 46
 - Windows,second server, 45
- Installer, 30
- ISAM tables, 166

J

- Java
 - application models, 314
 - architectures, 315
 - compiling and running, 322
 - Connector/J, 318
 - download and install, 316
 - IDEs, 319
 - JDBC
 - Class.forName, 321
 - getConnection, 322
 - java.sql.driver, 320
 - models, 319
 - PreparedStatement, 326
 - queries, Statement, ResultSet, 322
 - transactional atomicity, 326
 - MySQL
 - connect from a JSP, 327
 - connection pooling, 330
 - javax.sql.DataSource, 333
 - server-side access, 327
 - pieces of the puzzle, 316
 - Scrollable data-driven controls, 334
 - taglibs, 332
 - Tomcat, 317

K

- Key caches, 245
- key_buffer_size, 245
- Keys, 97, 107, 240

M

- many-many relationships, 79
- MARIA storage engine, 165
- MariaDB, 26, 31, 165
 - Install in Linux, 38
 - Install in Windows, 42
- memcached
 - integration with InnoDB, 171
- MEMORY(HEAP) tables, 165
- MERGE (MrgISAM) storage engine, 167
- Microsoft .NET, 337
 - and MySQL, 341
 - architecture, 340
 - ASP.NET, 357

- Web Matrix, 357
- compare with Apache/PHP, 339
- MySQL
 - connect via ODBC, 342
 - direct provider, master-detail window, 354
 - native provider, 351
- ODBC.NET, 344
 - classes, 347
 - master-detail window, 348
- Migration, 48, 258
- Modelling tools, 66
- Multiple servers
 - Linux/UNIX, 40
 - Windows, 45
- my_print_defaults, 448
- MyISAM tables, 166
- myisamlog, 426
- MyODBC, 254
 - Access
 - named queries, 266
 - importing Access db, 258
 - script, 260
 - in Windows, 255
 - installation, 50
- MySQL
 - APIs
 - C, 371
 - Java, 314
 - Microsoft .NET, 337
 - Perl, 303
 - PHP, 252
 - bugs, 46
 - client program, 35
 - comments, 86
 - Comparisons with other RDBMSs, 159
 - compiling, 392
 - connections, 396
 - error codes, 704
 - grant tables, 454
 - identifier names, 86
 - licence, 28
 - logs, 393
 - binary, 393
 - error, 394
 - query, 394
 - slow query, 395
 - major versions, 30
 - memory use, 395
 - MySQL installation, 30
 - operator precedence, 88
 - Operators, 87
 - other variations from SQL92, 85
 - overview, 29
 - Privileges, 114
 - pronunciation, 83
 - Reserved words, 86
 - server ptions, 396
- MySQL APIs
 - .NET, 252
 - C, 253
 - C++, 387
 - choosing, 253
 - Java, 252
 - ODBC, 252
 - Perl, 252
 - PHP, 268
- MySQL commands
 - _rowID, 97
 - ALTER DATABASE, 93
 - ALTER TABLE, 104
 - ANALYZE TABLE, 112
 - BACKUP DATABASE, 112
 - BACKUP TABLE, 113
 - BEGIN, 156
 - CACHE INDEX, 113
 - CHANGE MASTER TO, 129
 - CHECK TABLE, 113
 - CHECKSUM TABLE, 113
 - COMMIT, 156
 - CREATE | ALTER | DROP EVENT, 110
 - CREATE | ALTER | DROP SERVER, 94
 - CREATE | ALTER LOGFILE GROUP, 107
 - CREATE | ALTER TABLESPACE, 106
 - CREATE | DROP ROLE, 122
 - CREATE | DROP TRIGGER, 109
 - CREATE | RENAME USER, 120
 - CREATE DATABASE, 93
 - CREATE INDEX, 107
 - CREATE TABLE, 94
 - table options, 100
 - CREATE TABLE ... FROM ..., 103
 - CREATE TABLESPACE, 106
 - CREATE|DROP FUNCTION, 107
 - CREATE|DROP VIEW, 108
 - database administration, 112
 - DDL, 92
 - DELETE, 150
 - DESCRIBE, 114
 - DML, 132
 - DO, 155
 - DROP DATABASE, 93
 - DROP INDEX, 107
 - DROP TABLE, 106
 - DROP USER, 121
 - dropping constraints, 105
 - EXPLAIN, 145
 - FLUSH, 114
 - GET DIAGNOSTICS, 128
 - GRANT, 114, 117
 - IMPORT TABLE, 155
 - INSERT, 148
 - unexpected results, 150

INSERT ... SELECT, 149
 INSERT ... SET, 149
 INSERT ... VALUES, 148
 INSTALL PLUGIN, 220
 KILL, 122
LOAD DATA FROM MASTER, 132
 LOAD DATA INFILE, 152
 FIELDS, 153
 LINES, 154
 options, 153
 LOAD INDEX, 113
LOAD TABLE FROM MASTER, 132
 LOAD XML, 155
 LOCK|UNLOCK TABLES, 159
 OPTIMIZE TABLE, 123
 PREPARE, 155
 PURGE BACKUP LOGS, 112
 PURGE BINARY|MASTER LOGS, 130
 RENAME DATABASE, 93
 RENAME TABLE, 106
 REPAIR TABLE, 123
 REPLACE, 152
 replication, 128
 RESET, 123
 RESET MASTER, 131
 RESET SLAVE, 131
 RESTORE, 112
 RESTORE TABLE, 123
 REVOKE, 114, 120
 ROLLBACK, 156
 SELECT, 133
 aggregate functions, 144
 FROM, 136
 RIGHT JOIN, 139
 SET, 91
 SET PASSWORD, 92
 SHOW, 123
 replication, 132
 START SLAVE, 131
 STOP SLAVE, 132
 TRUNCATE, 151
 UPDATE, 150
 USE, 91
 MySQL data types
 and indexes, 62
 and referential integrity, 63
 bit values, 149
 BLOB and Text, 54
 char and binary, 52
 column type modifiers, 52
 date, 59
 datetime, 59
 ENUM and Set, 54
 money, 57
 NULL, 62
 numeric, 56
 timestamp, 59, 60
 using AUTO_INCREMENT, 58
 MySQL for Visual Studio, 353
 MySQL Installer, 30
 MySQL Proxy, 50, 421
 MySQL Sandbox, 40
 MySQL Shell, 50
 MySQL system variables
 scalar, 662
 structured, 692
 MySQL version, 30
 MySQL Workbench, 66, 449
 MySQL WorkBench, 48, 66
 MySQLInstanceConfig.exe, 42, 43
 mysqlslap, 448
 MyZQL commands
 SET ROLE, 122

N

native procedures and functions
 GeoJSON functions, 202
 JSON functions, 197
 Native procedures and functions
 GTID functions
 GTID_SUBSET(), 204
 GTID_SUBTRACT(), 204
 WAIT_FOR_EXECUTED_GTID_SET(),
 204
 WAIT_UNTIL_SQL_THREAD_
 AFTER_GTIDS(), 204
 Native procedures and functions, 178
 Aggregate functions, 179
 AVG(), 179
 BIT_AND(), 179
 BIT_OR(), 179
 COUNT(*), 179
 COUNT(expr), 179
 GROUP_CONCAT(), 179
 MAX(), 180
 MIN(), 180
 STDDEV(), 180
 SUM(), 180
 VARIANCE(), 180
 Control flow functions
 CASE WHEN, 178
 IF(), 178
 IFNULL(), 178
 NULLIF(), 178
 Data type functions
 CAST(), 193
 COALESCE(), 193
 CONVERT(), 193
 ISNULL(), 193
 PROCEDURE ANALYSE(), 193
 Datetime functions

ADDDATE(), 188
 CONVERT_TZ(), 189
 CURDATE(), 189
 CURRENT_TIME(), 189
 CURRENT_TIMESTAMP(), 189
 CURTIME(), 189
 DATE(), 189
 DATE_ADD(), 189
 DATE_FORMAT(), 189
 DATE_SUB(), 190
 DATEDIFF(), 189
 DAYNAME(), 190
 DAYOFMONTH(), 190
 DAYOFWEEK(), 190
 DAYOFYEAR(), 190
 EXTRACT(), 190
 FROM_DAYS(), 190
 FROM_UNIXTIME(), 190
 GET_FORMAT(), 191
 HOUR(), 191
 LAST_DAY(), 191
 MAKEDATE(), 191
 MAKETIME(), 191
 MICROSECOND(), 191
 MINUTE(), 191
 MONTH(), 191
 MONTHNAME(), 191
 PERIOD_ADD(), 191
 PERIOD_DIFF(), 191
 QUARTER(), 191
 SEC_TO_TIME(), 191
 SECOND(), 191
 STR_TO_DATE(), 191
 SUBDATE(), 191, 192
 SUBTIME(), 192
 TIME(), 192
 TIME_FORMAT(), 192
 TIME_TO_SEC(), 192
 TIMEDIFF(), 192
 TIMESTAMP(), 192
 TIMESTAMPADD(), 192
 TIMESTAMPDIF(), 192
 TO_DAYS(), 192
 TO_SECONDS(), 192
 UNIX_TIMESTAMP(), 192
 UTC_DATE(), 192
 UTC_TIME(), 192
 UTC_TIMESTAMP(), 193
 WEEK(), 193
 WEEKDAY(), 193
 YEAR(), 193
 YEARWEEK(), 193

En/decoding functions
 AES_DECRYPT(), 193
 AES_ENCRYPT(), 194
 DECODE(), 194

DES_ENCRYPT(), 194
 ENCODE(), 194
 ENCRYPT(), 194
 MD5(), 194
 PASSWORD(), 194
 SHA(), 194

Miscellaneous functions
 BENCHMARK(), 204
 DEFAULT(), 204
 INET_ATON(), 204
 INET_NTOA(), 204
 VERSION(), 205

Numeric functions
 ABS(), 180
 ACOS(), 180
 ASIN(), 181
 ATAN(), 181
 ATAN2(), 181
 BIT_COUNT(), 182
 CEIL/CEILING(), 181
 COS(), 181
 COT(), 181
 CRC32(), 181
 DEGREES(), 181
 EXP(), 181
 FLOOR(), 181
 GREATEST(), 181
 INTERVAL(), 181
 LEAST(), 181
 LN(), 181
 LOG(), 181
 LOG10(), 182
 LOG2(), 181
 MOD(), 182
 PI(), 182
 POW/POWER(), 182
 RADIANS(), 182
 RAND(), 182
 ROUND(), 182
 SIGN(), 182
 SIN(), 182
 SQRT(), 182
 TAN(), 182
 TRUNCATE(), 182

OpenGIS functions, 199
 for comparing geometry values, 200
 for spatial relations, 202
 for WKB values, 200
 for WKT values, 199
 GeometryCollection, 202
 LineString, 201
 MultiLineString, 201, 202
 Point, 201

Session functions
 CONNECTION_ID(), 196
 DATABASE(), 196

FOUND_ROWS(), 196
 GET_LOCK(), 196
 IS_FREE_LOCK(), 196
 IS_USED_LOCK(), 196
 LAST_INSERT_ID(), 197
 MASTER_POS_WAIT(), 197
 RELEASE_LOCK(), 197
 ROW_COUNT(), 197
 SESSION_USER(), 197
 SLEEP, 197
 SYSTEM_USER(), 197
 USER(), 197
 String functions
 ASCII(), 183
 BIN(), 183
 BIT_LENGTH(), 183
 CHAR(), 183
 CHAR_LENGTH|(), 183
 CHARACTER_LENGTH|(), 183
 COERCIBILITY(), 183
 COLLATION(), 183
 COMPRESS(), 183
 CONCAT(), 183
 CONCAT_WS(), 183
 CONV(), 184
 ELT(), 184
 EXPORT_SET(), 184
 FIELD(), 184
 FIND_IN_SET(), 184
 FORMAT(), 184
 HEX(), 184
 INSERT(), 184
 INSTR(), 184
 LCASE|LOWER(), 184
 LEFT(), 184
 LENGTH(), 184
 LENGTH|(), 183
 LIKE...ESCAPE, 184
 LOAD_FILE(), 185
 LOCATE(), 185
 LPAD(), 185
 LTRIM(), 185
 MAKE_SET(), 185
 MATCH(), 185
 MID(), 186
 OCT(), 186
 OCTET_LENGTH(), 184
 OCTET_LENGTH|(), 183
 ORD(), 186
 POSITION(), 186
 QUOTE(), 186
 REPEAT(), 186
 REPLACE(), 186
 REVERSE(), 186
 RIGHT(), 187
 RPAD, 187
 RTRIM(), 187
 SOUNDEX(), 187
 SPACE(), 187
 STRCMP(), 187
 SUBSTRING(), 187
 SUBSTRING_INDEX(), 187
 TRIM(), 187
 UCASE|UPPER(), 187
 UNCOMPRESS(), 187
 UNCOMPRESSED_LENGTH(), 187
 UNHEX(), 188
 WEIGHT_STRING(), 188
 XML functions, 195
 ExtractValue(), 195
 UpdateXML(), 196
 NDB CLUSTER storage engine, 175
 Normalisation, 15
 1NF, 16
 2NF, 16
 3NF, 19
 4NF, 20
 5NF, 21
 BCNF, 19
 NoSQL, 171
 Notifier, 49
 NULL, 9, 14, 62
 Number of rows
 affected by statement, 197
 retrieved by query, 179, 196

O

ODBC, 254
 architecture, 254
 OLAP, 244
 OLTP and OLAP, 414
 Online DDL, 104
 OpenGIS
 column types, 60
 functions, 199
 values
 INSERTing, 149
 UPDATE, 150
 Operating systems, 30
 Operators, 87
 LIKE, 88
 REGEXP|RLIKE, 88
 row constructor, 89

P

Partitioning, 176
 syntax, 102
 Performance_schema
 storage engine, 50, 175
 Performance_schema storage engine, 175
 tracking tables, 700

- Perl, 303
 - and CGI, 304
 - DBI, 305
 - connect, 306
 - desirable refinements, 310
 - INSERT,UPDATE,DELETE, 309
 - queries, 305
 - statement metadata, 311
 - statement placeholders, 309
 - installation, 303
 - web deployment, 304
 - Web scripts, 307
- PHP
 - arrays, 275
 - basics, 275
 - frameworks, 301
 - installing
 - under Windows, 272
 - installing under Linux, 269
 - laying out projects, 284
 - MySQL functions, 277
 - mysqli API functions, 277
 - PDO, 280
 - persistent connections, 280
 - small project, 284
 - desirable refinements, 291
 - small test webapp, 279
 - states and sessions, 280
 - tags, 276
 - theUsual*, 294
 - phpMyAdmin, 275
 - Plugins, 220
 - Point-in-time architecture, 23, 566
 - pre-aggregation, 244
 - PRIMARY KEY, 97
 - Privilege types, 116
 - Proxy users, 117

Q

- Queries. *See* SELECT
 - aggregate functions, 143
 - aggregates and WHERE, 243
 - atomic, 221
 - common, 236
 - components, 133
 - CROSS JOIN, 138, 225
 - design, 221
 - emulation of FULL OUTER JOIN, 141
 - equi-joins, 141
 - EXPLAIN, 145
 - Floats and rounding, 237
 - formatting, 225
 - FROM clause, 225
 - GROUP BY, 143, 236
 - HAVING, 144

- Indexing hints, 137
- INNER JOIN, 227, 228
- JOIN, 137
- JOIN conditions vs WHERE conditions, 230
- JOINS, 136
- last_query_cost, 238
- LIMIT, 145
- limits, 134
- many-many relationships, 235
- molecular
 - and relational algebra, 223
- molecular queries, 222
- multiple JOINS, 228
- NATURAL JOIN, 141
- negative JOINS, 228
- optimising, 238
 - EXPLAIN, 240
 - index caches, 244
 - LIMIT, 243
 - Multi-range read optimisation, 247
 - optimizer_trace, 242
 - ORDER BY, 243
 - range optimisation, 247
- ORDER BY, 143
- OUTER JOIN, 139, 226
- pivot tables, 236
- postparse rewriter, 248
- practical, 225
- row value constructors, 142
- scoping comparisons, 143
- simplifying, 233
- STRAIGHT_JOIN, 225
- subqueries, 133
 - correlated, 143
 - in FROM clause, 229
 - in WHERE clause, 232
- optimising, 248
- UNION, 147
- optimising, 246
- WHERE clause, 142, 230
- Query profiler, 248
- query_cache, 244

R

- RAID, 411
- Raw disk partitions, 390
- Read efficiency, 245
- Relations
 - Codd, EF, 7
 - Codd's 12 rules, 8
 - defined, 7
 - limitations of model, 22
 - sets, 7
- Relationships, 79
- Replication, 401

- and server version, 402
- and stored routines, 208
- BLACKHOLE storage engine, 163
- circular, 410
- global transaction IDs, 411
- holding back the master, 407
- multiple channels, 410
- multi-threaded, 410
- restarting the slave, 407
- row-based, 411
- semisynchronous, 409
- setup steps, 403
- Slave_IO messages, 405
- taking a snapshot, 402
- Reports, 82
 - optimising, 249
- Requirements modelling, 64
 - testing the model, 81
 - tracker database model, 80
- Roles, 114
- Row constructor, 89

S

- SAVEPOINT, 157
- Security
 - access roles, 464
 - authenticating connections, 460
 - authenticating database requests, 462
 - configuring, 458
 - DROP USER, 121
 - GRANT TABLES, 456
 - GRANT, REVOKE, 114, 454
 - KILL, 122
 - privilege types, 115
 - proxy users, 117
 - REVOKE, 120
 - SHOW GRANTS, SHOW PRIVILEGES, 124
 - user accounts, 458
- SELECT, 133. *See* Queries
 - aggregate functions, 143
 - components, 133
 - correlated subqueries, 143
 - CROSS JOIN, 138
 - emulation of FULL OUTER JOIN, 141
 - equi-joins, 141
 - EXPLAIN, 145
 - expression, 135
 - FOR UPDATE, 145
 - GROUP BY, 143
 - HAVING, 144
 - Indexing hints, 137
 - INNER JOIN, 138
 - INTO, 136
 - JOINS, 136
 - daisy-chained, 140

- LEFT JOIN, 139
- LIMIT, 145
- limits, 134
- NATURAL JOIN, 141
- ORDER BY, 143
- OUTER JOIN, 139
- qualifiers, 135
 - HIGH_PRIORITY, 135
 - SQL_CACHE, 135
 - SQL_CALC_FOUND_ROWS, 135
 - STRAIGHT_JOIN, 135
- row value constructors, 142
- scoping comparisons, 143
- subqueries, 133
- UNION, 147
- WHERE, 142
- SERIAL, 97
- Server upgrades, 39, 47
 - and grants tables, 46
 - under Windows, 43
- Sessions, 91
- SET NAMES, 92
- Sets
 - operations, 6
 - relations, 7
 - theory, 5
- SHOW, 123
 - ENGINES, 162
 - INDEX, 128
 - SHOW CREATE USER, 121
 - STATUS, 700
 - TABLE STATUS, 126
- Shutdown, 431
- Silent column specification changes, 53, 97
- SQL
 - comparison operators, 87
 - compliance, 85
 - data control language, 84
 - data definition language, 84
 - data manipulation language, 84
 - data types, 51
 - MySQL variant of, 85
 - statements, 84
 - transactions, 85
- SQL injection, 249, 293
- SQL_CALC_FOUND_ROWS, 135
- SQLSTATE, 212
- Storage engines
 - and installation packages, 32
 - ARCHIVE, 162
 - BDB, 162
 - BLACKHOLE, 163
 - CSV, 163
 - default, 166
 - FALCON, 163
 - FEDERATED, 164

- InnoDB, 49, 167
- ISAM, 166
- MARIA, 165
- MEMORY (HEAP), 165
- MERGE, 167
- MyISAM, 166
- NDB CLUSTER, 175
- performance comparisons, 176
- performance_schema
 - tracking tables, 700
- Performance_schema, 175
- TokuDB, 176
- Stored procedures and functions
 - and replication, 208
 - and shared hosting, 208
 - enable calling, 291, 376
 - naming conventions, 205
 - overview, 205
 - privileges, 208
 - security, 208
- Syntax
 - ALTER PROCEDURE|FUNCTION, 209
 - BEGIN...END, 211
 - CALL, 210
 - CASE...WHEN...END CASE, 217
 - Control constructs, 216
 - CREATE FUNCTION, 207
 - CREATE PROCEDURE, 206
 - Cursors, 215
 - DELIMITER, 210
 - DROP PROCEDURE|FUNCTION, 209
 - Error conditions and handlers, 211
 - IF...THEN...END IF, 216
 - ITERATE|LEAVE, 219
 - LOOP...END LOOP, 219
 - REPEAT...UNTIL...END REPEAT, 218
 - RESIGNAL, 214
 - SELECT INTO, 211
 - SHOW CREATE
 - PROCEDURE|FUNCTION, 209
 - SHOW PROCEDURE|FUNCTION
 - STATUS, 209
 - SIGNAL, 213
 - Variables, 211
 - WHILE...DO...END WHILE, 218
 - what is not allowed, 208
- Structured Query Language. *See* SQL
- Subqueries, 133, 224
- Surrogate key, 58
- Surrogate keys, 13
- Symlinks, 412
- System variables
 - scalar, 662
 - structured, 692

T

- Tables
 - relationships, 79
 - size limits, 101
- Temporary tables, 94
- TheUsual
 - class layout, 582
 - DataGridView
 - find in, 607
 - for MySQL & Visual Studio, 579
 - for MySQL and PHP, 268, 450
 - for SQL Server, 639
- TheUsual for MySQL
 - methods
 - btnOK_click, 590
 - databases, 595
- TheUsual for MySQL & Visual Studio
 - methods
 - TableRows, 588
- TheUsual for MySQL & Visual Studio
 - classes, 583
 - TheUsualConnection, 586
 - methods
 - ColumnType, 589
 - ExecuteNonQuery, 589
 - for queries, 614
 - for query columns, 612
 - for text columns, 613
 - IdName, 588
 - MustQuoteValue, 589
 - QueryResult, 597
 - ScalarQueryResult, 587
 - TableColumnCount, 588
- Threads
 - manager, 220
 - pooling, 91
- Time
 - Basic Concepts, 533
 - bitemporal tables, 566
 - modifying, 568
 - queries, 574
 - direct TTV, 564
 - modifying state tables, 552
 - MySQL Limitations, 533
 - partitioning, 552
 - queries, 544
 - referential integrity, 540
 - Row duplication, 536
 - sequenced temporal modifications, 555
 - Test schemas, 534
 - tracking logs, 560
 - transaction time validity, 559, 563
- time validity, 539
- Time zones, 47
- Timestamp

and CREATE TABLE, 96
TimeStamp, 59, 60
Tomcat, 317
Transactions
 isolation level, 157
 syntax, 156
 XA, 158
Triggers, 109

U

Updates
 optimising, 248
User variable, 91

V

Visual Studio
 and SQL Server, 639
 ASP.NET, 357
 BindingSource
 AddNew, 632
 buttons, 603
 C#
 data types, 588, 615
 get/set syntax, 594
 ComboBox, 595, 598
 Community edition, 352
 context menu, 630
 create a project, 583
 DataGridView
 add tooltips, 610
 cache class, 624
 context menu, 630

DataRetriever class, 623
 just-in-time, 622
 paging, 600
 set cursor, 628
 Tag, 631
DataGridView.Sorted, 618
DataRelation, 622
error message method, 611
ListView, 634
 dynamic width, 636
 login form, 590
MySQL for Visual Studio, 353
 partial class, 582
 registry read, write, 593
 tags, 620
 TextEditor class, 605
 TheUsual
 events, 638
 install and run, 650
 toolstrip, 600
 tooltips, 610

W

WorkBench. *See* MySQL WorkBench

X

XAMPP, 30, 269

Z

ZEROFILL, 96

Jump to page

[TOC](#) [1-25](#) [26-29](#) [30-50](#) [51-63](#) [64-82](#) [83-161](#) [162-77](#) [178-220](#) [221-49](#) [251-53](#) [254-67](#) [268-302](#) [303-13](#)
[314-36](#) [337-69](#) [371-87](#) [388-418](#) [421-53](#) [454-66](#) [468-531](#) [532-78](#) [579-652](#) [653-60](#) [662-95](#) [697-705](#)
